# ROCHESTER REGIONAL HEALTH

Rami Elshaar, M.D. Rochester Regional <u>Orthopaedics</u> Rochester: (585) 266 - 0061 RamiElshaarMD@gmail.com

### MEDIAL EPICONDLYITIS REPAIR

#### IMMEDIATE POSTOPERATIVE PHASE

Goals

- Protect healing tissue
- Decrease pain/inflammation
- Retard muscular atrophy
- Avoid strengthening the flexor mass muscle group during this initial phase to allow for healing at medial epicondyle

### Weeks 1-2

- Brace: 90° elbow flexion
- Cryotherapy: To elbow joint
- Active assisted ROM
- Brace: Elbow ROM 0-120° (Gradually increase ROM 5°, Ext/10° of Flex per week)
- Continue wrist ROM exercises
- Initiate light scar mobilization incision
- Cryotherapy to elbow

### **INTERMEDIATE PHASE**

#### Goals

- Gradual increase to full ROM
- Promote healing of repaired tissue
- Regain and improve muscular strength
- Restore full function of graft site

### Weeks 3-4

- Brace: Elbow ROM 0-140°
- Continue all exercises listed above
- Elbow ROM in brace
- Initiate active ROM Wrist and Elbow (No resistance)
- Initiate light wrist flexion stretching

## ROCHESTER REGIONAL HEALTH

Rami Elshaar, M.D. Rochester Regional Orthopaedics Rochester: (585) 266 - 0061 RamiElshaarMD@gmail.com

- Initiate active ROM shoulder:
  - ER/IR tubing
  - Elbow flex/extension
  - o Lateral raises
- Initiate light scapular strengthening exercises
- May incorporate stationary bike for lower extremity
- D/C brace and use wrist
- Begin light resistance exercises for arm (1 lb)
  - Wrist curls, extensions, pronation, supination
  - Elbow extension/flexion
- Progress shoulder program emphasize rotator cuff and scapular strengthening
- Initiate shoulder strengthening with light dumbbells

### ADVANCED STRENGTHENING PHASE

#### Goals

- Increase strength, power, endurance
- Maintain full elbow ROM
- Gradually initiate sporting activities

### Weeks 6-18

- ROM: Elbow ROM 0-135°
- Continue all Exercises: Progress all shoulder and UE exercises
- Progress elbow strengthening exercises
- Initiate shoulder external rotation strengthening
- Initiate eccentric elbow flexion/extension
- Continue isotonic program: forearm & wrist
- Initiate plyometric exercise program (2 hand plyos close to body only)
  - o Chest pass
  - $\circ \quad \text{Side throw close to body} \\$
- Continue stretching calf and hamstrings
- Continue all exercises listed above
- Program plyometrics to 2 hand drills away from body
  - $\circ \quad \text{Side to side throws} \quad$
  - $\circ \quad \text{Soccer throws} \quad$
  - $\circ \quad \text{Side throws} \quad$
- Initiate isotonic machines strengthening exercises (if desired)
  - o Bench press (seated)
  - $\circ \quad \text{Lat pull down} \\$
- Initiate golf, swimming
- Continue strengthening program

### ROCHESTER REGIONAL HEALTH

Rami Elshaar, M.D. Rochester Regional <u>Orthopaedics</u> Rochester: (585) 266 - 0061 RamiElshaarMD@gmail.com

- Emphasis on elbow and wrist strengthening and flexibility exercises
- Maintain full elbow ROM
- Initiate one hand plyometric throwing (stationary throws)
- Initiate one hand wall dribble
- Initiate one hand baseball throws into wall