

## ARTHROSCOPIC SLAP LESION REPAIR (TYPE II)

### PHASE I - IMMEDIATE POSTOPERATIVE PHASE (Postoperative Day 1 to Week 6)

#### Goals:

- Protection of anatomic SLAP repair
- Control postoperative pain / inflammation
- Promotion of shoulder musculature contraction
- Retard muscular atrophy
- Early controlled motion glenohumeral / scapulothoracic joints

#### **Weeks 0 - 2**

- Sling 4 weeks or per MD recommendation
- Sleep in shoulder sling / brace for 4 weeks
- Elbow, wrist, hand ROM, gripping exercise
- PROM / light AAROM glenohumeral joint
  - Flexion to 60° (week1)
  - Flexion to 70°-75° (week2)
  - ER to 10°
  - IR to 30°
- Submaximal isometrics for shoulder musculature (no biceps)
- No active shoulder ER / Extension /Abduction
- Initiate proprioceptive training end of week 1

#### **Week 3-4**

- Discontinue sling / immobilizer at 3-4 weeks or per MD recommendation
- Continue PROM / AAROM (progression based on evaluation of patient and subjective patient report)
  - Flexion to 90°
  - Abduction to 80°
  - ER to 30°
  - IR to 40°
- Initiate scapular neuromusculature reeducation (rhythmic stabilization)
- Continue shoulder isometrics (no bicep contractions)
- Initiate shoulder isotonic program at 0° of shoulder abduction ER / IR
- Cryotherapy with progression to thermal (heat) at week 3

## Week 5 - 6

- Gradually improve ROM of shoulder
  - Flexion to 145°
  - ER at 45° abduction: 45°-50°
  - ER at 45° abduction: 55°-60°
  - At 6 weeks begin slow progression toward ER at 90° abduction progress to 30°-40° ER
- May initiate stretching exercises
- Continue isotonic tubing ER/IR (arm at side)
- Initiate Active Shoulder Abduction (without resistance)
- Initiate “Full Can” Exercise (Weight of Arm)
- Initiate Prone Rowing, Prone Horizontal Abduction
- NO Biceps Strengthening

## Phase II – Intermediate Phase: Moderate Protection Phase (Week 7 - 14)

### Goals:

- Gradually restore full ROM (week 10-12)
- Protect the integrity of the surgical repair
- Restore muscular strength and balance

## Week 7 - 9

- Gradually progress ROM:
  - Flexion to 180°
  - ER at 90° abduction: 90°-95°
  - IR at 90° abduction: 70°-75°
- Continue to progress isotonic strengthening program
- Continue PNF strengthening
- Initiate Throwers Ten Program

## Week 10 - 12:

- May initiate slightly more aggressive strengthening
- Progress ER to Throwers Motion
  - ER at 90° abduction: 110°-115° in throwers (Week 10-12)
- Progress isotonic strengthening exercises to include manual resistance
- Continue all stretching exercises \*\*Progress ROM to functional demands (i.e. overhead athlete)
- Continue all strengthening exercises

## Phase III – Minimal Protection Phase (Week 14 - 20)

### Goals:

- Establish and maintain full ROM (throwers motion)
- IMPROVE muscular strength
- INITIATE power and endurance. Gradually initiate functional activities

### Criteria to enter Phase III:

- Full non-painful ROM
- Satisfactory stability
- Muscular strength (good grade or better)
- No pain or tenderness

### Week 14 - 16

- Continue all stretching exercises (capsular stretches)
- Maintain Throwers Motion (emphasis on shoulder ER)
- Continue strengthening exercises:
  - Throwers Ten Program with progression to Advanced Throwers Program
  - PNF Manual Resistance
  - Endurance training (stabilization/perturbation at end range 90/90 position)
  - Initiate light plyometric program
  - Restricted sport activities (light swimming, half golf swings)

### Week 16 - 20

- Continue all exercise listed above
- Continue all stretching
- Continue Throwers Ten Program / Advanced Throwers 10 program
- Continue Plyometric Program (90/90 positioning plyos)
- Initiate interval sport program (throwing)  
\*\*See interval Throwing Program

## Phase IV – Advanced Strengthening Phase (Week 20 - 26)

### Goals:

- Enhanced muscular strength, power and endurance
- Progress functional activities
- Maintain shoulder mobility

**Criteria to enter Phase IV:**

- Full non-painful ROM
- Satisfactory static stability
- Muscular strength 75-80% of contralateral side
- No pain or tenderness

**Week 20 - 26**

- Continue flexibility exercises
- Continue isotonic strengthening program
- PNF manual resistance patterns
- Plyometric strengthening
- Progress interval sport programs

**Phase V – Return to Activity Phase (Month 6 to 9)**

**Goals:**

- Gradual return to sport activities
- Maintain strength, mobility and stability

**Criteria to enter Phase V:**

- Full functional ROM
- Muscular performance isokinetic (fulfills criteria)
- Satisfactory shoulder stability upon examination
- No pain or tenderness

**Exercises:**

- Gradually progress sport activities to unrestrictive participation
- Continue stretching and strengthening program