

Rami Elshaar, M.D. Rochester Regional Orthopaedics Rochester: (585) 266 - 0061 RamiElshaarMD@gmail.com

Triceps Repair

Maximum Protection Phase (Day 1 to Week 8) Weeks 0-2

- Brace: 30 to 60 degrees flexion
- ROM:
 - Wrist and hand ROM
 - Gripping exercises
 - o Shoulder pendulum in elbow brace
 - o Perform PROM shoulder exercises
- Strengthening exercises:
 - o Gripping for hand
 - Wrist flexion and extension, light dumbbell
- Cryotherapy applied to triceps

Weeks 3-4

- ROM brace applied: 0 to 60 degrees of flexion
- No active elbow extension x4-6 weeks
- Continue shoulder PROM exercises
- Light isometric biceps at 60 degrees flexion
- Initiate ER/IR tubing at 0 degrees adduction
- Manual scapular neuromuscular exercises (seated)
- Continue shoulder, elbow, wrist PROM
- Continue with ice and compression

Weeks 5-6

- ROM brace: increase ROM to 0-90 degrees gradually
- Initiate light shoulder and scapular strengthening exercises at 6 weeks

Weeks 7-8

- ROM brace: progress to 0 to full flexion at 8 weeks
- Initiate light isotonic strengthening for shoulder and scapula
- Continue ice prn

Moderate Protection Phase (Weeks 9-16)

Weeks 9-12

Progress strengthening exercises slowly